

銘傳大學八十九學年度管理科學研究所碩士班招生考試

第一節

統計學 試題

可使用計算器、統計檢定題目一律用 0.05 顯著水準、答案小數點保持四位

(一) 填充題 (每格 5 分) 50%

- (1) $P(A^c|B)=0.3$, $P(A|B^c)=0.2$, 且 $P(B)=0.4$, 則 $P(A)=$ _____.
- (2) Suppose that the variance of two estimates of partial slopes of multiple regression model are 24 and 18 with a sample covariance -12. The estimated variance of the difference of two partial slopes is _____.
- (3) In order to reduce one-third of standard error of sample mean with sample size of 49, the sample size must increase to _____.
- (4) The relative efficiency of the sample median to the sample mean, for large n , is _____.
- (5) Suppose that three means are compared using one-way analysis of variance. A random sample of 4 drawn from each population produced main effects of -5, 4, and 3. The sum of squares between samples is _____ and the difference between the first samples is _____.
- (6) The sampling process in which one selects one of the first M items with a random start in the universe and every M th item thereafter is called _____ sampling.
- (7) A super-market sells 250 cases of soft drink per day with standard deviation of 25. Assuming the number of cases sold is normally distributed. On one day, the super-market stocks 300 cases, the probability that will all sold is _____. If the proprietor wants the probability of not being able to meet the demand for number of cases to be 0.01, then the manager should stock _____ cases.
- (8) Suppose the study reveals that the average number of accidents per person per year is 0.3. Using the Poisson distribution, the probability of no accidents of a randomly selected two workers will have no accidents during next two years is _____.

(二) 計算題

- (1) 假設用複迴歸模式分析應變數(y)及另外三個獨立變數(x_1, x_2, x_3)。今樣本資料以統計套裝軟體執行之結果如下：

Dependent Variable: Y

Source	DF	Sun of Squares	Mean Square	F Value	Pr > F
Model	3	1686.37452565	562.12484188	7.69	0.0028
Error	14	1023.82078685	73.13005620		
C Total	17	2710.19531250			

R-Square	C.V	Root MSE	Y Mean
0.622234	20.59595	8.55161132	41.52083333

Source	DF	Type I SS	Mean Square	F Value	Pr > F
X1	1	304.06785946	304.06785946	4.16	0.0608
X2	1	1341.78535930	1341.78535930	18.35	0.0008
X3	1	40.52130689	40.52130689	0.55	0.4690

Source	DF	Type I SS	Mean Square	F Value	Pr > F
X1	1	9.04798428	9.04798428	0.12	0.7303
X2	1	1049.54576287	1049.54576287	14.35	0.0020
X3	1	40.52130689	40.52130689	0.55	0.4690

Parameter	Estimate	T for H0: Parameter=0	Pr > T	Std Error of Estimate
INTERCEPT	-72.84877457	-1.67	0.1173	43.65067471
X1	-0.06624036	-0.35	0.7303	0.18831924
X2	85.73400246	3.79	0.0020	22.63082377
X3	-0.02229094	-0.74	0.4690	0.02994571


- (a) 若在其他條件不變下， x_1 為 50 單位且 x_2 為 1/20 單位時，平均 y 的改變為何？
- (b) 檢定 $H_0: \beta_2=0$ 對 $H_a: \beta_2 > 0$ 。
- (c) 檢定 $H_0: \beta_1=\beta_2=0$ 對 H_a : 至少一個不為 0。
- (d) 檢定 $H_0: \beta_1=\beta_2=\beta_3=0$ 對 H_a : 至少一個不為 0。

- (2) 某一大出口貿易公司招考相關產品設計人員時，初試為 200 分之專業科目測驗，以分數高低決定下一步之面試。假設該測驗分數為鐘形分配，且今年公司預定選分數最好的二十四人面試，而報考人數有 150 人計算其平均成績為 120 分和標準差分 15 分。 10%
- (a) 該公司面試分數為何？
- (b) 若某位先生考試得 150 分時，估計他的分數至少名列第幾？

(3) 在操作管理(operations management)中，若一家大廠商僅向單一特定供應商購買某一種類之項目時，可稱其為單獨來源的運作(practicing sole sourcing)。這種購買政策一般被認定為是廠商品質系統中的一個重要部份。由於在此類管理操作時，供應商必須定期提供自己產品製造過程之樣本品質資料給購買廠商，以確保訂單之繼續，而且購買廠商亦可隨時了解自己取得產品之品質保證。假設某一廠商在上述情形下想研究其購買之某一小型金屬棒是否誠如供應商所宣稱的其平均長度至少為 5mm。(計算過程必須保留全部小數位，否則不予計分) 20%

- (a) 若供應商製造程序產生 0.01mm 的標準差，而供應商提供 100 個樣本給該廠商得平均數為 4.970mm 時，寫出兩個假設及計算其 p 值。
- (b) (a)小題的結論為何？該結論可能犯了什麼誤差？
- (c) 在(a)小題中，若欲偵測該金屬棒平均長度短 0.0025mm，計算其檢定力？

Normal Curve Areas



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990


Source: Abridged from Table I of A. Hald, *Statistical Tables and Formulas* (New York: Wiley), 1952. Reproduced by permission of A. Hald.

TABLE *Critical Values of t*



d.f.	$t_{.100}$	$t_{.050}$	$t_{.025}$	$t_{.010}$	$t_{.005}$	d.f.
1	3.078	6.314	12.706	31.821	63.657	1
2	1.886	2.920	4.303	6.965	9.925	2
3	1.638	2.353	3.182	4.541	5.841	3
4	1.533	2.132	2.776	3.747	4.604	4
5	1.476	2.015	2.571	3.365	4.032	5
6	1.440	1.943	2.447	3.143	3.707	6
7	1.415	1.895	2.365	2.998	3.499	7
8	1.397	1.860	2.306	2.896	3.355	8
9	1.383	1.833	2.262	2.821	3.250	9
10	1.372	1.812	2.228	2.764	3.169	10
11	1.363	1.796	2.201	2.718	3.106	11
12	1.356	1.782	2.179	2.681	3.055	12
13	1.350	1.771	2.160	2.650	3.012	13
14	1.345	1.761	2.145	2.624	2.977	14
15	1.341	1.753	2.131	2.602	2.947	15
16	1.337	1.746	2.120	2.583	2.921	16
17	1.333	1.740	2.110	2.567	2.898	17
18	1.330	1.734	2.101	2.552	2.878	18
19	1.328	1.729	2.093	2.539	2.861	19
20	1.325	1.725	2.086	2.528	2.845	20
21	1.323	1.721	2.080	2.518	2.831	21
22	1.321	1.717	2.074	2.508	2.819	22
23	1.319	1.714	2.069	2.500	2.807	23
24	1.318	1.711	2.064	2.492	2.797	24
25	1.316	1.708	2.060	2.485	2.787	25
26	1.315	1.706	2.056	2.479	2.779	26
27	1.314	1.703	2.052	2.473	2.771	27
28	1.313	1.701	2.048	2.467	2.763	28
29	1.311	1.699	2.045	2.462	2.756	29
inf.	1.282	1.645	1.960	2.326	2.576	inf.

Distribution: Values of $F_{.05}$



Degrees of freedom of the numerator

$df_1 \backslash df_2$	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.0	243.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.60	8.57	8.55	8.53
4	7.71	6.94	6.60	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.22	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.28	3.88	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.76	2.71
10	4.98	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.10	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.76	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.26	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

試題完