

銘傳大學九十一學年度轉學生招生考試

八月四日 第五節

企、會、經、財經、資管 轉三

統計學 試題

* 可使用計算機

一、是非題(對的畫'O'，錯的畫'X'；每題2分)

1. 進行假設檢定時，若在顯著水準 $\alpha = 0.05$ 時，不拒絕虛無假設，則在 $\alpha = 0.01$ 時，亦不拒絕虛無假設。
2. 進行假設檢定時，若在顯著水準 $\alpha = 0.05$ 時，拒絕虛無假設，則其P值必大於0.05。
3. 在其他條件不變下，若拒絕域範圍愈大，則型I誤差的機率愈大但型II誤差的機率愈小。
4. 有兩個統計量 $\hat{\theta}_1$ ， $\hat{\theta}_2$ 其中 $\hat{\theta}_1$ 為不偏估計量， $\hat{\theta}_2$ 為偏的估計量，則 $\hat{\theta}_1$ 一定比 $\hat{\theta}_2$ 好。
5. 若虛無假設為 $\mu \geq 10$ ，則實際上 $\mu = 8$ 時，可能會發生型I誤差。
6. 若根據樣本資料計算出母體平均數 μ 的95%信賴區間為(5,8)，表示 μ 落在(5,8)的機率為0.95。
7. 檢定力(power)愈大表示犯型I誤差的機率愈小。
8. 進行假設檢定時，我們是在有足夠的證據之下才不拒絕虛無假設。
9. 若虛無假設 $H_0: \mu = 50$ ，對立假設 $H_1: \mu \neq 50$ ，則在 $\mu = 52$ 時的型II誤差機率 β_{52} 大於 $\mu = 55$ 時的型II誤差機率 β_{55} 。
10. 若兩變數的相關係數為0，表示這兩變數沒有關係。

二、選擇題(每題3分)

1. 若一組資料的全距為30，則該組資料的標準差最有可能為(1)5 (2)15 (3)25 (4)35
2. 下列何種圖可作為排序及次數分配表達(1)圓形圖 (2)長條圖 (3)莖葉圖 (4)盒鬚圖
3. 下列何種圖適合表示定性(qualitative)資料(1)圓形圖 (2)盒鬚圖 (3)莖葉圖 (4)直方圖
4. 設二項隨機變數 X 的機率分配為 $b(n, p)$ ，且 X 的期望值 $E(X) = 9$ ， X 的變異數 $Var(X) = 6$ ，試問 n 為(1)17 (2)18 (3)19 (4)以上皆非

5. 若想比較全校學生身高與體重兩種資料的離散程度，應採用下列何者較好(1) 全距 (2) 標準差 (3) 變異係數 (4) 平均偏差
6. 下列各 x 值相對於其母體平均數 μ 及標準差 σ ，何者 x 最可能為離群值 (outlier)(1) $x=8$ where $\mu=-1$ and $\sigma=12$ (2) $x=-5$ where $\mu=2$ and $\sigma=5$ (3) $x=2$ where $\mu=3$ and $\sigma=1$ (4) $x=5$ where $\mu=0$ and $\sigma=1$
7. 設 X, Y 為隨機變數，且 X, Y 的變異數分別為 $Var(X) = \frac{23}{36}$ ， $Var(Y) = \frac{20}{36}$ ， X, Y 的互變異數為 $COV(X, Y) = \frac{-5}{36}$ ，則 $X-Y$ 的變異數 $Var(X-Y)$ 為(1) $\frac{33}{36}$ (2) $\frac{48}{36}$ (3) $\frac{53}{36}$ (4) 以上皆非
8. 將學生依年級分類(大一、大二、大三、大四)，這種資料的尺度為(1) 名目尺度 (2) 順序尺度 (3) 區間尺度 (4) 比率尺度
9. 設 A, B 兩獨立事件，且 $P(A) = 0.2$ ， $P(B) = 0.3$ ，則 $P(A|B)$ 等於(1) 0.1 (2) 0.2 (3) 0.3 (4) 以上皆非
10. 設 $P(A) = 0.3$ ， $P(B) = 0.4$ ，且 $P(A|B) = 0.5$ ，則 $P(A \cap B)$ 等於(1) 0.1 (2) 0.2 (3) 0.3 (4) 以上皆非

三、Given a normal distribution with $\mu=100$ and $\sigma=10$, what is the probability that

- (1) $75 < X < 85$? (5 分)
 (2) 5% of the values are less than what X value? (5 分)

四、An analysis of the number of units sold by 5 salespersons in each of 4 sales territories resulted in the following data: (15 分)

	Sales Territory			
	1	2	3	4
Number of salespersons	5	5	5	5
Average number sold (\bar{x})	130	120	132	114
Sample variance (s^2)	72	64	69	67

Test at the $\alpha = .05$ level if there is any significant in the mean number of units sold in the 4 sales territories

五、Given below are five observation collected in a regression study on two variables.

Observation	1	2	3	4	5
X_i	2	4	5	7	8
Y_i	2	3	2	6	4

(1) Develop the estimated regression equation for these data.

(即利用上述資料找出回歸方程式 $\hat{Y} = \hat{\beta}_0 + \hat{\beta}_1 X$)

(2) Use the t test to test the hypotheses ($\alpha = .05$). (10 分)


$$H_0 : \beta_1 = 0$$

$$H_1 : \beta_1 \neq 0$$

(3) Use the F test to test the hypotheses in past (2) at the $\alpha = .05$ level of significance. (10 分)


Critical Values of t

For particular number of degrees of freedom, entry represents the critical value of t corresponding to a specified upper-tail area (α).



Degrees of Freedom	UPPER-TAIL AREAS					
	0.25	0.10	0.05	0.025	0.01	0.005
1	1.0000	3.0777	6.3138	12.7062	31.8207	63.6574
2	0.8165	1.8856	2.9200	4.3027	6.9646	9.9248
3	0.7649	1.6377	2.3534	3.1824	4.5407	5.8409
4	0.7407	1.5332	2.1318	2.7764	3.7469	4.6041
5	0.7267	1.4759	2.0150	2.5706	3.3649	4.0322
6	0.7176	1.4398	1.9432	2.4469	3.1427	3.7074
7	0.7111	1.4149	1.8946	2.3646	2.9980	3.4995
8	0.7064	1.3968	1.8595	2.3060	2.8965	3.3554
9	0.7027	1.3830	1.8331	2.2622	2.8214	3.2498
10	0.6998	1.3722	1.8125	2.2281	2.7638	3.1693
11	0.6974	1.3634	1.7959	2.2010	2.7181	3.1058
12	0.6955	1.3562	1.7823	2.1788	2.6810	3.0545
13	0.6938	1.3502	1.7709	2.1604	2.6503	3.0123
14	0.6924	1.3450	1.7613	2.1448	2.6245	2.9768
15	0.6912	1.3406	1.7531	2.1315	2.6025	2.9467
16	0.6901	1.3368	1.7459	2.1199	2.5835	2.9208
17	0.6892	1.3334	1.7396	2.1098	2.5669	2.8982
18	0.6884	1.3304	1.7341	2.1009	2.5524	2.8784
19	0.6876	1.3277	1.7291	2.0930	2.5395	2.8609
20	0.6870	1.3253	1.7247	2.0860	2.5280	2.8453
21	0.6864	1.3232	1.7207	2.0796	2.5177	2.8314
22	0.6858	1.3212	1.7171	2.0739	2.5083	2.8188
23	0.6853	1.3195	1.7139	2.0687	2.4999	2.8073
24	0.6848	1.3178	1.7109	2.0639	2.4922	2.7969
25	0.6844	1.3163	1.7081	2.0595	2.4851	2.7874


The Cumulative Standardized Normal Distribution



Entry represents area under the cumulative standardized normal distribution from $-\infty$ to Z

Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.9	0.00005	0.00005	0.00004	0.00004	0.00004	0.00004	0.00004	0.00004	0.00003	0.00003
-3.8	0.00007	0.00007	0.00007	0.00006	0.00006	0.00006	0.00006	0.00005	0.00005	0.00005
-3.7	0.00011	0.00010	0.00010	0.00010	0.00009	0.00009	0.00008	0.00008	0.00008	0.00008
-3.6	0.00016	0.00015	0.00015	0.00014	0.00014	0.00013	0.00013	0.00012	0.00012	0.00011
-3.5	0.00023	0.00022	0.00022	0.00021	0.00020	0.00019	0.00019	0.00018	0.00017	0.00017
-3.4	0.00034	0.00032	0.00031	0.00030	0.00029	0.00028	0.00027	0.00026	0.00025	0.00024
-3.3	0.00048	0.00047	0.00045	0.00043	0.00042	0.00040	0.00039	0.00038	0.00036	0.00035
-3.2	0.00069	0.00066	0.00064	0.00062	0.00060	0.00058	0.00056	0.00054	0.00052	0.00050
-3.1	0.00097	0.00094	0.00090	0.00087	0.00084	0.00082	0.00079	0.00076	0.00074	0.00071
-3.0	0.00135	0.00131	0.00126	0.00122	0.00118	0.00114	0.00111	0.00107	0.00103	0.00100
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2388	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2482	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641


Critical Values of F (Continued)



Denominator df ₂	NUMERATOR, df ₁																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30				
1	647.80	799.50	864.20	899.60	921.80	937.10	948.20	956.70	963.30	968.60	976.70	984.90	993.10	997.20	1,001.00				
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.39	39.40	39.41	39.43	39.43	39.45	39.46	39.46				
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08				
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46				
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23				
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07				
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36				
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89				
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56				
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31				
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12				
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96				
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84				
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73				
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70	2.64				
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57				
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50				
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44				
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39				

Critical Values of F

For a particular combination of numerator and denominator degrees of freedom, entry represents the critical values of F corresponding to a specified upper-tail area (α).



Denominator df ₂	NUMERATOR, df ₁																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40			
1	161.40	199.50	215.70	224.60	230.20	234.00	236.80	238.90	240.50	241.90	243.90	245.90	248.00	249.10	250.10	251.10			
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47			
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59			
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72			
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46			
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77			
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34			
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04			
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83			
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66			
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53			
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43			
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34			
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27			
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20			
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15			
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10			
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06			
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03			

試題完